

Attachment 1

*Species Considered for Inclusion in the
MSCS but Not Evaluated*

Species Considered for Inclusion in the MSCS but Not Evaluated

MSCS User Guide: This is a list of special-status species known to occur or with potential to occur in the MSCS focus area (i.e., the ERP's 14 Ecological Zones and 12 potential reservoir sites) that were considered but not included in the MSCS because they:

- have no legal protection under federal or California Endangered Species Acts (ESA) or other California Fish and Game Code sections, and are not likely to become federally or California listed as threatened or endangered during the term of CALFED implementation, and

- would not be substantially affected by CALFED actions, or are not rare or limited in distribution.

Additionally, species were not included in the MSCS if there was not enough information on the species' biology to determine effects of CALFED actions and the species had no legal protection.

Type ¹	Common Name	Scientific Name				Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
M	American badger	<i>Taxidea taxus</i>	-	CSC	-	X		
M	Berkeley kangaroo rat	<i>Dipodomys heermanni berkeleyensis</i>	-	-	SC		X2	
M	California red tree vole	<i>Phenacomys longicaudus</i>	-	CSC	SC		X2	
M	Fringed myotis	<i>Myotis thysanodes</i>	-	-	SC	X		
M	Hoary bat	<i>Lasiurus cinereus</i>	-	CSC	-		X1	
M	Long-eared myotis	<i>Myotis evotis</i>	-	-	SC		X2	
M	Long-legged myotis	<i>Myotis volans</i>	-	-	SC		X1	
M	Marysville California kangaroo rat	<i>Dipodomys heermanni eximus</i>	-	CSC	SC			X
M	Pacific fisher	<i>Martes pennanti pacifica</i>	-	CSC	SC		X2	
M	Pacific western big-eared bat	<i>Plecotus townsendii townsendii</i>	-	CSC	SC		X1	
M	Pale Townsend's big-eared bat	<i>Plecotus townsendii pallescens</i>	-	CSC	SC	X		
M	Pallid bat	<i>Antrozous pallidus</i>	-	CSC	-		X1	
M	Red bat	<i>Lasiurus borealis</i>	-	-	SC	X		
M	San Joaquin pocket mouse	<i>Perognathus inornatus</i>	-	-	SC	X		
M	Short-nosed kangaroo rat	<i>Dipodomys nitratoides brevinasus</i>	-	CSC	SC		X2	
M	Silver-haired bat	<i>Lasionycteris noctivagans</i>	-	CSC	-		X1	
M	Small-footed myotis	<i>Myotis ciliolabrum</i>	-	-	SC		X2	
M	Spotted bat	<i>Euderma maculatum</i>	-	CSC	SC		X2	

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name				Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
M	Tulare grasshopper mouse	<i>Onychomys torridus tularensis</i>	-	-	SC			
M	Yuma myotis	<i>Myotis yumanensis</i>	-	-	SC	X		
B	Alameda song sparrow	<i>Melospiza melodia pusillula</i>	-	CSC	SC		X2	
B	American white pelican	<i>Pelecanus erythrorhynchos</i>	-	CSC	SC	X		
B	Bell's sage sparrow	<i>Amphispiza belli belli</i>	-	CSC	SC		X2	
B	Belted kingfisher	<i>Ceryle alcyon</i>	-	-	SC	X		
B	California horned lark	<i>Eremophila alpestris actia</i>	-	-	SC	X		
B	California spotted owl	<i>Strix occidentalis occidentalis</i>	-	CSC	SC		X2	
B	Ferruginous hawk	<i>Buteo regalis</i>	-	CSC	SC		X1	
B	Harlequin duck	<i>Histrionicus histrionicus</i>	-	CSC	SC		X1	
B	Loggerhead shrike	<i>Lanius ludovicianus</i>	-	CSC	-	X		
B	Merlin	<i>Falco columbarius</i>	-	CSC	-		X1	
B	Northern goshawk	<i>Accipiter gentilis</i>	-	-	SC		X1	
B	Oregon vesper sparrow	<i>Poocetes gramineus affinis</i>	-	-	SC	X		
B	Pacific-slope flycatcher	<i>Empidonax difficilis insulicola</i>	-	-	SC	X		
B	Prairie falcon	<i>Falco mexicanus</i>	-	CSC	-		X1	
B	Purple martin	<i>Progne subis</i>	-	CSC	-		X1	
B	Sacramento Valley song sparrow	<i>Melospiza melodia mailliardi</i>	-	-	SC	X		
B	Sharp-shinned hawk	<i>Accipiter striatus</i>	-	CSC	-		X1	
B	Sora	<i>Porzana carolina</i>	-	-	SC	X		
B	Yellow rail	<i>Coturnicops noveboracensis</i>	-	CSC	-		X1	
B	Yellow-headed blackbird	<i>Xanthocephalus xanthocephalus</i>	-	-	SC	X		
R	California horned lizard	<i>Phrynosoma coronatum frontale</i>	-	CSC	SC	X		
R	Silvery legless lizard	<i>Anniella pulchra pulchra</i>	-	CSC	SC		X2	
A	Cascades frog	<i>Rana cascadae</i>	-	-	SC		X2	
A	Tailed frog	<i>Ascaphus truei</i>	-	CSC	SC		X2	
F	Kern brook lamprey	<i>Lampetra hubbsi</i>	-	CSC	SC		X2	
F	Pacific lamprey	<i>Lampetra tridentata</i>	-	-	SC	X		X
F	Pit roach	<i>Lavinia symmetricus mitrulus</i>	-	CSC	SC		X2	
F	River lamprey	<i>Lampetra ayresi</i>	-	CSC	-			X

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name				Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
F	San Joaquin roach	<i>Lavinia symmetricus</i> ssp. (<i>San Joaquin</i>)	-	CSC	SC		X2	
I	Amphibious caddisfly	<i>Desmona bethula</i>	-	-	SC	X		
I	Antioch sphecid wasp	<i>Philanthus nasilis</i>	-	-	SC	X		
I	Antioch Dunes anthicid beetle	<i>Anthicus antiochensis</i>	-	-	SC	X		
I	Antioch mutillid wasp	<i>Myrmosula pacifica</i>	-	-	SC	X		
I	Antioch cophuran robberfly	<i>Cophura hurdi</i>	-	-	SC	X		
I	Antioch efferian robberfly	<i>Efferia anticohi</i>	-	-	SC	X		
I	Antioch andrenid bee	<i>Perdita scitula antiochensis</i>	-	-	SC	X		
I	Bohart's blue butterfly	<i>Philotiella speciosa bobartorum</i>	-	-	SC	X		
I	Bridges' Coast Range shoulderband snail	<i>Helminthoglypta nickliniana bridgesi</i>	-	-	SC		X2	
I	California linderiella	<i>Linderiella occidentalis</i>	-	-	SC	X		
I	Ciervo aegialian scarab beetle	<i>Aegialia concinna</i>	-	-	SC	X		
I	Curved-foot hygrotus diving beetle	<i>Hygrotus curvipes</i>	-	-	SC	X		
I	Globose dune beetle	<i>Coelus globosus</i>	-	-	SC	X		
I	Gold Rush hanging fly	<i>Orbittacus obscurus</i>	-	-	SC	X		
I	Ground beetle (no common name)	<i>Scaphinotus behrensi</i>	-	-	SC	X		
I	Hurd's metapogon robberfly	<i>Metapogon hurdi</i>	-	-	SC	X		
I	Leech's skyline diving beetle	<i>Hydroporus leechi</i>	-	-	SC			X
I	Marin elfin butterfly	<i>Incisalia mossii</i>	-	-	SC		X2	
I	Merced Canyon shoulderband snail	<i>Helminthoglypta allynsmitbi</i>	-	-	SC	X		
I	Middlekauf's shieldback katydid	<i>Idiostatus middlekaufi</i>	-	-	SC	X		
I	Moestan blister beetle	<i>Lytta moesta</i>	-	-	SC	X		
I	Morrison's blister beetle	<i>Lytta morrisoni</i>	-	-	SC	X		
I	Opler's longhorn moth	<i>Adela oplerella</i>	-	-	SC		X2	
I	Redheaded sphecid wasp	<i>Eucerceris ruficeps</i>	-	-	SC	X		

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name	Status ²			Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
I	Ricksecker's water scavenger beetle	<i>Hydrochara rickseckeri</i>	-	-	SC	X		
I	Sacramento anthicid beetle	<i>Anthicus sacramento</i>	-	-	SC	X		
I	Sacramento Valley tiger beetle	<i>Cicindela hirticollis abrupta</i>	-	-	SC	X		
I	San Joaquin tiger beetle	<i>Cicindela tranquebarica</i> ssp.	-	-	SC	X		
I	San Joaquin dune beetle	<i>Coelus gracilis</i>	-	-	SC	X		
I	Sandy beach tiger beetle	<i>Cicindela hirticollis gravida</i>	-	-	SC	X		
I	Williams' bronze shoulderband snail	<i>Helminthoglypta arrosa williamsi</i>	-	-	SC	X		
I	Yellow-banded andrenid bee	<i>Perdita hirticeps luteocincta</i>	-	-	SC	X		
P	Pubescent needlegrass	<i>Achnatherum lemmonii</i> var. <i>pubescens</i>	-	-	3		X2	
P	Jepson's onion	<i>Allium jepsonii</i>	-	-	1B/SC		X2	
P	Forked fiddleneck	<i>Amsinckia vernicosa</i> var. <i>furcata</i>	-	-	SC		X2	
P	Rincon manzanita	<i>Arctostaphylos stanfordiana</i> ssp. <i>decumbens</i>	-	-	1B		X2	
P	Sonoma manzanita	<i>Arctostaphylos canescens</i> ssp. <i>sonomensis</i>	-	-	1B		X2	
P	Nissenan manzanita	<i>Arctostaphylos nissenana</i>	-	-	1B/SC		X2	
P	Northern spleenwort	<i>Asplenium septentrionale</i>	-	-	2		X2	
P	Suksdorf's milkvetch	<i>Astragalus pulisiferae</i> var. <i>suksdorfii</i>	-	-	1B/SC		X2	
P	Big-scale balsamroot	<i>Balsamorhiza macrolepis</i> var. <i>macrolepis</i>	-	-	1B	X		
P	Western goblin	<i>Botrychium montanum</i>	-	-	2		X2	
P	Mingan moonwort	<i>Botrychium minganense</i>	-	-	2		X2	
P	Upswept moonwort	<i>Botrychium ascendens</i>	-	-	2/SC		X2	
P	Scalloped moonwort	<i>Botrychium crenulatum</i>	-	-	1B/SC	X		
P	Long-haired star-tulip	<i>Calochortus longebarbatus</i> var. <i>longebarbatus</i>	-	-	1B		X2	
P	Pleasant Valley mariposa lily	<i>Calochortus clavatus</i> var. <i>avius</i>	-	-	1B/SC		X2	
P	Hoover's calycadenia	<i>Calycadenia hooveri</i>	-	-	1B/SC	X		
P	Santa Cruz Mtns. pussypaws	<i>Calyptidium parryi</i> var. <i>hesseae</i>	-	-	3		X2	

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name				Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
P	Mt. Saint Helena morning-glory	<i>Calystegia collina</i> ssp. <i>oxyphylla</i>	-	-	SC		X2	
P	Butte County morning-glory	<i>Calystegia atriplicifolia</i> ssp. <i>butensis</i>	-	-	3/SC		X2	
P	Wilkin's harebell	<i>Campanula wilkinsiana</i>	-	-	1B/SC		X2	
P	Dissected-leaf toothwort	<i>Cardamine pachystigma</i> var. <i>dissectifolia</i>	-	-	3		X2	
P	Shore sedge	<i>Carex limosa</i>	-	-	2		X2	
P	Fox sedge	<i>Carex vulpinoidea</i>	-	-	2	X		
P	Pointed broom sedge	<i>Carex scoparia</i>	-	-	2		X2	
P	Slender sedge	<i>Carex lasiocarpa</i>	-	-	2	X		
P	Sonoma ceanothus	<i>Ceanothus sonomensis</i>	-	-	1B/SC		X2	
P	Calistoga ceanothus	<i>Ceanothus divergens</i>	-	-	1B/SC		X2	
P	Rincon Ridge ceanothus	<i>Ceanothus confusus</i>	-	-	1B/SC		X2	
P	Red Hills soaproot	<i>Chlorogalum grandiflorum</i>	-	-	1B/SC		X2	
P	San Benito spineflower	<i>Chorizanthe biloba</i> var. <i>immemora</i>	-	-	1B		X2	
P	Mt. Hamilton thistle	<i>Cirsium fontinale</i> var. <i>campylon</i>	-	-	1B/SC	X		
P	Mosquin's clarkia	<i>Clarkia mosquinii</i>	-	-	1B	X		
P	Enterprise clarkia	<i>Clarkia mosquinii</i> ssp. <i>xerophila</i>	-	-	1B/SC		X2	
P	Small's southern clarkia	<i>Clarkia australis</i>	-	-	1B		X2	
P	Santa Clara red ribbons	<i>Clarkia concinna</i> ssp. <i>automixa</i>	-	-	1B/SC	X		
P	White-stemmed clarkia	<i>Clarkia gracilis</i> ssp. <i>albicaulis</i>	-	-	1B		X2	
P	Talus collomia	<i>Collomia larsenii</i>	-	-	2		X2	
P	Serpentine cryptantha	<i>Cryptantha clevelandii</i> var. <i>dissita</i>	-	-	1B		X2	
P	Clustered lady's-slipper	<i>Cypripedium fasciculatum</i>	-	-	SC		X2	
P	Western leatherwood	<i>Dirca occidentalis</i>	-	-	1B	X		
P	Dwarf downingia	<i>Downingia pusilla</i>	-	-	2	X		
P	Golden draba	<i>Draba aureola</i>	-	-	1B		X2	
P	English sundew	<i>Drosera anglica</i>	-	-	2		X2	
P	Oregon fireweed	<i>Epilobium oreganum</i>	-	-	1B/SC		X2	
P	Narrow-leaved daisy	<i>Erigeron angustatus</i>	-	-	1B		X2	
P	Streamside daisy	<i>Erigeron biolettii</i>	-	-	3		X2	
P	Mt. Diablo buckwheat	<i>Eriogonum truncatum</i>	-	-	1A/SC		X2	

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name				Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
P	Tiburon buckwheat	<i>Eriogonum luteolum</i> var. <i>caninum</i>	-	-	3		X2	
P	Snow Mountain buckwheat	<i>Eriogonum nervulosum</i>	-	-	1B/SC		X2	
P	Tuolumne fawn lily	<i>Erythronium tuolumnense</i>	-	-	1B		X2	
P	Butte County fritillary	<i>Fritillaria eastwoodiae</i>	-	-	1B/SC		X2	
P	Talus fritillary	<i>Fritillaria falcata</i>	-	-	1B/SC	X		
P	Fragrant fritillary	<i>Fritillaria liliacea</i>	-	-	1B/SC		X2	
P	Stinkbells	<i>Fritillaria agrestis</i>	-	-	4	X		
P	Bisbee Peak rush-rose	<i>Helianthemum suffrutescens</i>	-	-	3		X2	
P	Hayfield tarplant	<i>Hemizonia congesta</i> ssp. <i>leucocephala</i>	-	-	3		X2	
P	Two-carpellate western flax	<i>Hesperolinon bicarpellatum</i>	-	-	1B/SC		X2	
P	Red Bluff dwarf rush	<i>Juncus leiostermus</i> var. <i>leiostermus</i>	-	-	1B		X2	
P	Coulter's goldfields	<i>Lasthenia glabrata</i> ssp. <i>coulteri</i>	-	-	1B	X		
P	Dubious pea	<i>Lathyrus sulphureus</i> var. <i>argillaceus</i>	-	-	3		X2	
P	Colusa layia	<i>Layia septentrionalis</i>	-	-	1B		X2	
P	Munz's tidy-tips	<i>Layia munzii</i>	-	-	1B	X		
P	Rayless layia	<i>Layia discoidea</i>	-	-	1B		X2	
P	Woolly-headed lessingia	<i>Lessingia hololeuca</i>	-	-	3		X2	
P	Stebbins' lewisia	<i>Lewisia stebbinsii</i>	-	-	1B/SC		X2	
P	Howell's lewisia	<i>Lewisia cotyledon</i>	-	-	3		X2	
P	Cantelow's lewisia	<i>Lewisia cantelovii</i>	-	-	1B		X2	
P	Woolly meadowfoam	<i>Limnanthes floccosa</i> ssp. <i>floccosa</i>	-	-	2		X2	
P	Madera linanthus	<i>Linanthus serrulatus</i>	-	-	1B	X		
P	Cobb Mountain lupine	<i>Lupinus sericatus</i>	-	-	1B		X2	
P	Anthony Peak lupine	<i>Lupinus antoninus</i>	-	-	1B/SC		X2	
P	Quincy lupine	<i>Lupinus dalesiae</i>	-	-	1B		X2	
P	Stebbins' madia	<i>Madia stebbinsii</i>	-	-	1B/SC		X2	
P	Niles madia	<i>Madia doris-nilesiae</i>	-	-	1B		X2	
P	Hall's madia	<i>Madia ballii</i>	-	-	1B/SC		X2	
P	Indian Valley bush mallow	<i>Malacothamnus aboriginum</i>	-	-	1B		X2	
P	Nelson's pepperwort	<i>Marsilea oligospora</i>	-	-	3	X		

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name				Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
P	Serpentine monkeyflower	<i>Mimulus brachiatus</i>	-	-	3		X2	
P	The Lassics sandwort	<i>Minuartia decumbens</i>	-	-	1B/SC		X2	
P	Merced monardella	<i>Monardella leucocephala</i>	-	-	1A/SC		X2	
P	Veiny monardella	<i>Monardella douglasii</i> ssp. <i>venosa</i>	-	-	1B/SC		X2	
P	Robust monardella	<i>Monardella villosa</i> ssp. <i>globosa</i>	-	-	1B		X2	
P	Little mouseltail	<i>Myosurus minimus</i> ssp. <i>apus</i>	-	-	3/SC	X		
P	Marin County navarretia	<i>Navarretia rosulata</i>	-	-	1B		X2	
P	Baker's navarretia	<i>Navarretia leucocephala</i> ssp. <i>bakeri</i>	-	-	1B	X		
P	Shining navarretia	<i>Navarretia nigelliformis</i> ssp. <i>radians</i>	-	-	1B	X		
P	Sonoma beardtongue	<i>Penstemon newberryi</i> var. <i>sonomensis</i>	-	-	1B		X2	
P	Closed-throated beardtongue	<i>Penstemon personatus</i>	-	-	1B/SC		X2	
P	Gairdner's yampah	<i>Perideridia gairdneri</i> ssp. <i>gairdneri</i>	-	-	SC		X2	
P	Stebbins' phacelia	<i>Phacelia stebbinsii</i>	-	-	1B/SC		X2	
P	Moss phlox	<i>Phlox muscoides</i>	-	-	2		X2	
P	Engelmann spruce	<i>Picea engelmannii</i>	-	-	2		X2	
P	Horned butterwort	<i>Pinguicula vulgaris</i>	-	-	2		X2	
P	Hooked popcornflower	<i>Plagiobothrys uncinatus</i>	-	-	1B/SC	X		
P	Petaluma popcornflower	<i>Plagiobothrys mollis</i> var. <i>vestitus</i>	-	-	1A		X2	
P	Bearded popcornflower	<i>Plagiobothrys bystriculus</i>	-	-	1A		X2	
P	Hairless popcornflower	<i>Plagiobothrys glaber</i>	-	-	1A		X2	
P	California sycamore	<i>Platanus racemosa</i>	-	-	SC	X		
P	Douglas' pogogyne	<i>Pogogyne douglasii</i> ssp. <i>parviflora</i>	-	-	3	X		
P	Slender-leaved pondweed	<i>Potamogeton filiformis</i>	-	-	2	X		
P	Nuttall's pondweed	<i>Potamogeton epiphydrus</i> ssp. <i>nuttallii</i>	-	-	2		X2	
P	White-stemmed pondweed	<i>Potamogeton praelongus</i>	-	-	2	X		
P	Sticky pyrocoma	<i>Pyrocoma lucida</i>	-	-	1B		X2	
P	Hall's rupertia	<i>Rupertia hallii</i>	-	-	1B		X2	
P	Tracy's sanicle	<i>Sanicula tracyi</i>	-	-	1B/SC		X2	
P	American scheuchzeria	<i>Scheuchzeria palustris</i> var. <i>americana</i>	-	-	2	X		

(continued)

Species Considered for Inclusion in the MSCS but Not Evaluated (continued)

Type ¹	Common Name	Scientific Name	Status ²			Potential Effects of CALFED Actions on Species ³		
			Federal	State	Other	May be Affected	Not Likely to be Affected	Not Enough Information on the Species
P	Water bulrush	<i>Scirpus subterminalis</i>	-	-	2		X2	
P	Slender bulrush	<i>Scirpus heterochaetus</i>	-	-	2		X2	
P	Canyon Creek stonecrop	<i>Sedum paradisum</i>	-	-	1B/SC		X2	
P	Feather River stonecrop	<i>Sedum albomarginatum</i>	-	-	1B		X2	
P	Cut-leaved ragwort	<i>Senecio eurycephalus</i> var. <i>lewisroei</i>	-	-	1B		X2	
P	Rayless ragwort	<i>Senecio apbanactis</i>	-	-	2		X2	
P	Sweet marsh ragwort	<i>Senecio hydrophiloides</i>	-	-	3		X2	
P	Butte County checkerbloom	<i>Sidalcea robusta</i>	-	-	1B/SC		X2	
P	Point Reyes checkerbloom	<i>Sidalcea calycosa</i> ssp. <i>rhizomata</i>	-	-	1B		X2	
P	Western campion	<i>Silene occidentalis</i> ssp. <i>longistipitata</i>	-	-	3/SC		X2	
P	Cascade alpine campion	<i>Silene suksdorfii</i>	-	-	2		X2	
P	Lassen Peak smelowskia	<i>Smelowskia ovalis</i> var. <i>congesta</i>	-	-	1B/SC		X2	
P	Prairie wedge grass	<i>Sphenopholis obtusata</i>	-	-	2		X2	
P	Long-leaved starwort	<i>Stellaria longifolia</i>	-	-	2		X2	
P	Obtuse starwort	<i>Stellaria obtusa</i>	-	-	2		X2	
P	Kruckeberg's jewelflower	<i>Streptanthus morrisonii</i> ssp. <i>kruckebergii</i>	-	-	1B/SC		X2	
P	Three Peaks jewelflower	<i>Streptanthus morrisonii</i> ssp. <i>elatus</i>	-	-	1B/SC		X2	
P	Freed's jewelflower	<i>Streptanthus brachiatus</i> ssp. <i>hoffmanii</i>	-	-	1B/SC		X2	
P	Socrates mine jewelflower	<i>Streptanthus brachiatus</i> ssp. <i>brachiatus</i>	-	-	1B/SC		X2	
P	Mt. Tamalpais jewelflower	<i>Streptanthus glandulosus</i> ssp. <i>pulchellus</i>	-	-	1B		X2	
P	Morrison's jewelflower	<i>Streptanthus morrisonii</i> ssp. <i>morrisonii</i>	-	-	1B/SC	X	X2	
P	Wright's trichocoronis	<i>Trichocoronis wrightii</i> var. <i>wrightii</i>	-	-	2	X		
P	Northern daisy	<i>Trimorpha acris</i> var. <i>debilis</i>	-	-	2		X2	
P	San Francisco owl's-clover	<i>Triphysaria floribunda</i>	-	-	1B		X2	
P	Caper-fruited tropidocarpum	<i>Tropidocarpum capparideum</i>	-	-	1A/SC		X2	
P	Siskiyou Mtns. huckleberry	<i>Vaccinium coccineum</i>	-	-	3		X2	
P	Woolly violet	<i>Viola tomentosa</i>	-	-	1B		X2	
P	El Dorado County mule ears	<i>Wyethia reticulata</i>	-	-	1B/SC		X2	

Notes:

¹**Type:** M = mammal, B = bird, R = reptile, A = amphibian, F = fish, I = invertebrate, P = plant

²**Status:**

State

CSC = California species of special concern

Other

1A = California Native Plant Society List 1A

1B = California Native Plant Society List 1B

2 = California Native Plant Society List 2

3 = California Native Plant Society List 3

SC = Other species of concern identified by CALFED

³**Potential Effects of CALFED Actions on Species**

May be Affected:

X = species are associated with habitat types or occur at specific locations that may be adversely or beneficially affected by CALFED depending on where CALFED actions would be implemented, or species that are uncommon or transient in the Conservation Strategy focus area and may be affected by CALFED depending on when or where CALFED actions would be implemented.

Not Likely to be Affected:

X1 = CALFED actions do not affect the species because habitat is not limiting and the species is mobile.

X2 = Species occurs in areas that would not be affected by CALFED actions.

Not Enough Information on the Species:

X = Not enough information on the species' biology or distribution to make a determination of effects.

